

# Package ‘ggeasy’

January 7, 2021

**Title** Easy Access to 'ggplot2' Commands

**Version** 0.1.3

**Maintainer** Jonathan Carroll <rpkg@jcarroll.com.au>

**Description** Provides a series of aliases to commonly used but difficult to remember 'ggplot2' sequences.

**License** GPL (>= 2)

**Encoding** UTF-8

**LazyData** true

**Imports** ggplot2, rlang

**RoxygenNote** 7.1.1

**Suggests** knitr, rmarkdown, testthat (>= 2.1.0), clipr, labelled, patchwork, vdiff, covr

**VignetteBuilder** knitr

**URL** <https://github.com/jonocarroll/ggeasy>

**BugReports** <https://github.com/jonocarroll/ggeasy/issues>

**NeedsCompilation** no

**Author** Jonathan Carroll [aut, cre] (<<https://orcid.org/0000-0002-1404-5264>>),  
Alicia Schep [aut] (<<https://orcid.org/0000-0002-3915-0618>>),  
Jonathan Sidi [aut] (<<https://orcid.org/0000-0002-4222-1819>>),  
Bob Rudis [ctb] (<<https://orcid.org/0000-0001-5670-2640>>),  
Mohamed El Fodil Ihaddaden [ctb],  
Thomas Neitmann [ctb]

**Repository** CRAN

**Date/Publication** 2021-01-07 06:40:05 UTC

## R topics documented:

easy_add_legend_title . . . . .	2
easy_change_legend . . . . .	3
easy_change_text . . . . .	4

easy_labs . . . . .	6
easy_remove_axes . . . . .	7
easy_remove_legend . . . . .	9
easy_remove_legend_title . . . . .	10
easy_rotate_labels . . . . .	10
ggeasy . . . . .	11

<b>Index</b>	<b>12</b>
--------------	-----------

---

easy\_add\_legend\_title *Easily add legend title(s)*

---

## Description

Update the title(s) of the specified aesthetic, or all aesthetics at once.

## Usage

```
easy_add_legend_title(..., teach = FALSE)
```

## Arguments

... A list of new name-value pairs. The name should be an aesthetic. If only a character value is provided then *all* legend titles will be changed to that.

teach print longer equivalent [ggplot2](#) expression?

## Value

a [theme](#) object

## Author(s)

Jonathan Carroll

## Examples

```
library(ggplot2)

# Add legend title to a specific aesthetic
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_add_legend_title(col = "Number of Cylinders")

# Add legend title to all aesthetics
ggplot(mtcars, aes(wt, mpg, colour = cyl)) +
  geom_point() + easy_add_legend_title("Number of Cylinders")
```

---

easy\_change\_legend      *Easily modify legends*

---

## Description

Change legend position, direction, or justification.

## Usage

```
easy_change_legend(  
  what = c("position", "direction", "justification"),  
  to,  
  teach = FALSE  
)
```

```
easy_move_legend(  
  to = c("right", "none", "left", "bottom", "top"),  
  teach = FALSE  
)
```

```
easy_legend_at(to = c("right", "none", "left", "bottom", "top"), teach = FALSE)
```

```
easy_rotate_legend(to = c("vertical", "horizontal"), teach = FALSE)
```

```
easy_adjust_legend(to = c("left", "right", "center"), teach = FALSE)
```

## Arguments

what	legend component to modify ("position", "direction", or "justification")
to	to what to set the legend component should be changed
teach	print longer equivalent <a href="#">ggplot2</a> expression?

## Details

Due to limitations of [ggplot2](#) this will apply to all legends at once

## Value

a [theme](#) object

## Author(s)

Jonathan Carroll

**Examples**

```

library(ggplot2)

# Move legends to bottom
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_move_legend("bottom")

# Make legends horizontal
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_rotate_legend("horizontal")

# Justify legends to the bottom and justify to the right
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() +
  easy_move_legend("bottom") +
  easy_adjust_legend("right")

```

---

easy\_change\_text      *Easily change text appearance*

---

**Description**

Change any of the text parameters such as

**Usage**

```

easy_change_text(
  which = .all_theme_els,
  what = .all_element_text,
  to = NULL,
  teach = FALSE
)

.all_theme_els

.all_element_text

easy_all_text_size(size = NULL, teach = FALSE)

easy_all_text_color(color = NULL, teach = FALSE)

easy_all_text_colour(colour = NULL, teach = FALSE)

easy_text_size(which = .all_theme_els, size = NULL, teach = FALSE)

easy_text_color(which = .all_theme_els, color = NULL, teach = FALSE)

```

```
easy_text_colour(which = .all_theme_els, colour = NULL, teach = FALSE)
easy_x_axis_title_size(size, teach = FALSE)
easy_y_axis_title_size(size, teach = FALSE)
easy_x_axis_labels_size(size = NULL, teach = FALSE)
easy_y_axis_labels_size(size = NULL, teach = FALSE)
easy_plot_title_size(size = NULL, teach = FALSE)
easy_plot_subtitle_size(size = NULL, teach = FALSE)
easy_plot_caption_size(size = NULL, teach = FALSE)
easy_plot_legend_size(size = NULL, teach = FALSE)
easy_plot_legend_title_size(size = NULL, teach = FALSE)
easy_center_title(teach = FALSE)
```

**Arguments**

which	which element to change (see <code>ggeasy::.all_theme_els</code> )
what	what attribute of the element to change (see <code>ggeasy::.all_element_text</code> )
to	value to which the attribute should be set
teach	print longer equivalent <a href="#">ggplot2</a> expression?
size	size to set attributes to
color	colo(u)r to set attributes to
colour	colo(u)r to set attributes to

**Format**

An object of class character of length 15.

**Value**

a [theme](#) object which can be used in [ggplot2](#) calls

**Author(s)**

Jonathan Carroll

**Examples**

```

library(ggplot2)

# make all text larger
ggplot(mtcars, aes(mpg, hp)) +
  geom_point() +
  easy_all_text_size(22)
# also works if accidentally using easy_text_size(n)

# make the x and y axis text larger
ggplot(mtcars, aes(mpg, hp)) +
  geom_point() +
  easy_text_size(c("axis.text.x", "axis.text.y"), 22)

# make the x axis labels larger
ggplot(mtcars, aes(mpg, hp)) +
  geom_point() +
  easy_x_axis_labels_size(22)

# make the plot title larger
ggplot(mtcars, aes(mpg, hp)) +
  geom_point() +
  labs(title = "My Plot") +
  easy_plot_title_size(22)

# make the legend title larger
ggplot(mtcars, aes(mpg, hp)) +
  geom_point(aes(fill = gear)) +
  easy_plot_legend_title_size(22)

# make all the text red
ggplot(mtcars, aes(mpg, hp)) +
  geom_point(aes(fill = gear)) +
  easy_all_text_color("red")

# make all the text 45 degrees, right-justified
ggplot(mtcars, aes(mpg, hp)) +
  geom_point(aes(fill = gear)) +
  easy_change_text(what = "angle", to = 45) +
  easy_change_text(what = "hjust", to = 1)

# make just x-axis text 45 degrees, right-justified
ggplot(mtcars, aes(mpg, hp)) +
  geom_point(aes(fill = gear)) +
  easy_change_text(which = "axis.text.x", what = "angle", to = 45) +
  easy_change_text(which = "axis.text.x", what = "hjust", to = 1)

```

**Description**

Applies same logic as [labs](#) but uses as default the column label attribute if present as the variable label in the plot.

**Usage**

```
easy_labs(..., teach = FALSE)
```

**Arguments**

...                   A list of new name-value pairs. The name should either be an aesthetic, or one of "title", "subtitle", or "caption"

teach                 print longer equivalent [ggplot2](#) expression?

**Examples**

```
iris_labs <- iris

lbl <- c('Sepal Length', 'Sepal Width', 'Petal Length', 'Petal Width', 'Flower Species')

labelled::var_label(iris_labs) <- split(lbl,names(iris_labs))

p <- ggplot2::ggplot(iris_labs,ggplot2::aes(x=Sepal.Length,y=Sepal.Width))+
  ggplot2::geom_line(ggplot2::aes(colour=Species))

p

p + easy_labs()
p + easy_labs(title = "Plot Title", subtitle = 'Plot Subtitle', x = 'x axis label')

p + easy_labs(teach = TRUE)
```

---

easy\_remove\_axes

*Easily remove one or more axes*

---

**Description**

easy\_remove\_axes by default removes both axes, but can remove only x or y if "x" or "y" is given to the 'which' argument

**Usage**

```
easy_remove_axes(
  which = c("both", "x", "y"),
  what = c("ticks", "title", "text", "line"),
  teach = FALSE
```

```
)  
  
easy_remove_y_axis(what = c("ticks", "title", "text", "line"), teach = FALSE)  
  
easy_remove_x_axis(what = c("ticks", "title", "text", "line"), teach = FALSE)
```

### Arguments

which	which axis or axes to remove, by default "both"
what	axis components to remove ("ticks", "title", "text", and/or "line")
teach	print longer equivalent <code>ggplot2</code> expression?

### Details

`easy_remove_x_axis` and `easy_remove_y_axis` remove just the x or y axis, respectively.

### Value

a `theme` object which can be used in `ggplot2` calls

### Author(s)

Alicia Schep

### Examples

```
library(ggplot2)  
# Remove all axes  
ggplot(mtcars, aes(wt, mpg)) +  
  geom_point() + easy_remove_axes()  
  
# remove just x axis  
ggplot(mtcars, aes(wt, mpg)) +  
  geom_point() + easy_remove_x_axis()  
  
# can also use:  
ggplot(mtcars, aes(wt, mpg)) +  
  geom_point() + easy_remove_axes("x")  
  
# Remove y axis  
ggplot(mtcars, aes(wt, mpg)) +  
  geom_point() + easy_remove_y_axis()  
  
# Remove just the ticks  
# Remove y axis  
ggplot(mtcars, aes(wt, mpg)) +  
  geom_point() + easy_remove_y_axis(what = "ticks")
```



---

easy_remove_legend	<i>Easily remove legend(s)</i>
--------------------	--------------------------------

---

### Description

With no argument, will remove all legends. Provide the name(s) of specific aesthetic to remove only certain legends.

### Usage

```
easy_remove_legend(..., teach = FALSE)
```

### Arguments

...	optional name(s) specific aesthetics for which to remove the legend
teach	print longer equivalent <a href="#">ggplot2</a> expression?

### Value

either a [theme](#) object or a [guides](#)object, both of which can be used in [ggplot2](#) calls

### Author(s)

Alicia Schep

### Examples

```
library(ggplot2)

# Remove all legends
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_remove_legend()

# remove just size legend
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_remove_legend("size")

# can also use:
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_remove_legend(size)

# Remove more than one
ggplot(mtcars, aes(wt, mpg, colour = cyl, size = hp)) +
  geom_point() + easy_remove_legend(size, color)
```

---

`easy_remove_legend_title`*Easily remove legend title Remove the legend title*

---

**Description**

Easily remove legend title Remove the legend title

**Usage**

```
easy_remove_legend_title(teach = FALSE)
```

**Arguments**

`teach` print longer equivalent `ggplot2` expression?

**Value**

a `theme` object

**Examples**

```
library(ggplot2)
# remove legend title from all aesthetics
ggplot(mtcars, aes(wt, mpg, colour = cyl)) +
  geom_point() + easy_remove_legend_title()
```

---

`easy_rotate_labels`*Easily rotate x axis labels*

---

**Description**

A shortcut to

**Usage**

```
easy_rotate_labels(
  which = c("both", "x", "y"),
  angle = 90,
  side = c("left", "middle", "right"),
  teach = FALSE
)
```

```
easy_rotate_x_labels(
  angle = 90,
  side = c("left", "middle", "right"),
```

```
  teach = FALSE
)

easy_rotate_y_labels(
  angle = 90,
  side = c("left", "middle", "right"),
  teach = FALSE
)
```

### Arguments

which	which axis or axes to rotate, by default "both"
angle	angle through which the text should be rotated. Can also be one of "startatop" or "startatbottom" to define where the text should start.
side	horizontal justification of the text before rotation
teach	print longer equivalent <a href="#">ggplot2</a> expression?

### Details

```
theme(axis.text.x = element_text(angle, hjust))
```

### Value

a [theme](#) object which can be used in [ggplot2](#) calls.

### Examples

```
library(ggplot2)
ggplot(mtcars, aes(mpg, hp)) +
  geom_point() +
  easy_rotate_labels()
```

---

ggeasy

*ggeasy.*

---

### Description

Helper functions for making using [ggplot2](#) easier.

# Index

- \* **datasets**
  - easy\_change\_text, 4
  - .all\_element\_text (easy\_change\_text), 4
  - .all\_theme\_els (easy\_change\_text), 4
- easy\_add\_legend\_title, 2
- easy\_adjust\_legend
  - (easy\_change\_legend), 3
- easy\_all\_text\_color (easy\_change\_text), 4
- easy\_all\_text\_colour
  - (easy\_change\_text), 4
- easy\_all\_text\_size (easy\_change\_text), 4
- easy\_center\_title (easy\_change\_text), 4
- easy\_change\_legend, 3
- easy\_change\_text, 4
- easy\_labs, 6
- easy\_legend\_at (easy\_change\_legend), 3
- easy\_move\_legend (easy\_change\_legend), 3
- easy\_plot\_caption\_size
  - (easy\_change\_text), 4
- easy\_plot\_legend\_size
  - (easy\_change\_text), 4
- easy\_plot\_legend\_title\_size
  - (easy\_change\_text), 4
- easy\_plot\_subtitle\_size
  - (easy\_change\_text), 4
- easy\_plot\_title\_size
  - (easy\_change\_text), 4
- easy\_remove\_axes, 7
- easy\_remove\_legend, 9
- easy\_remove\_legend\_title, 10
- easy\_remove\_x\_axis (easy\_remove\_axes), 7
- easy\_remove\_y\_axis (easy\_remove\_axes), 7
- easy\_rotate\_labels, 10
- easy\_rotate\_legend
  - (easy\_change\_legend), 3
- easy\_rotate\_x\_labels
  - (easy\_rotate\_labels), 10
- easy\_rotate\_y\_labels
  - (easy\_rotate\_labels), 10
- easy\_text\_color (easy\_change\_text), 4
- easy\_text\_colour (easy\_change\_text), 4
- easy\_text\_size (easy\_change\_text), 4
- easy\_x\_axis\_labels\_size
  - (easy\_change\_text), 4
- easy\_x\_axis\_title\_size
  - (easy\_change\_text), 4
- easy\_y\_axis\_labels\_size
  - (easy\_change\_text), 4
- easy\_y\_axis\_title\_size
  - (easy\_change\_text), 4
- ggeasy, 11
- ggplot2, 2, 3, 5, 7–11
- guides, 9
- labs, 7
- theme, 2, 3, 5, 8–11