

Package ‘xutils’

February 17, 2021

Title Utility Functions of Fangzhou Xie

Version 0.0.1

Description This is a collection of some useful functions when dealing with text data. Currently it only contains a very efficient function of decoding HTML entities in character vectors by Rcpp routine.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

URL <https://github.com/fangzhou-xie/xutils>

BugReports <https://github.com/fangzhou-xie/xutils/issues>

LinkingTo Rcpp

Imports Rcpp

Suggests knitr, rmarkdown, textutils, bench, xml2

VignetteBuilder knitr

NeedsCompilation yes

Author Fangzhou Xie [aut, cre] (<<https://orcid.org/0000-0001-7702-093X>>)

Maintainer Fangzhou Xie <fangzhou.xie@rutgers.edu>

Repository CRAN

Date/Publication 2021-02-17 19:50:02 UTC

R topics documented:

html_decode	2
Index	3

html_decode	<i>decode a single element character vector using Christoph's C++ code https://stackoverflow.com/a/1082191/10437891</i>
-------------	--

Description

decode a single element character vector using Christoph's C++ code <https://stackoverflow.com/a/1082191/10437891>

Usage

```
html_decode(str)
```

Arguments

str	A single string
-----	-----------------

Value

decoded string

Examples

```
html_decode("&")
```

Index

`html_decode`, [2](#)